

**COMPETITIVE ABILITY OF DIFFERENT DENSITY LEVELS OF SWAMP
CABBAGE (*Ipomoea aquatica* L.) WITH TRANSPLANTED
RICE (*Oryza sativa* L.)**

MARIEL VERGARA MACAPULAY

An Undergraduate Thesis Submitted to the Faculty of the Department of Crop Protection,
College of Agriculture, Central Luzon State University,
Science City of Muñoz, Nueva Ecija, Philippines
In Partial Fulfillment of the Requirements
for the Degree of

**BACHELOR OF SCIENCE IN AGRICULTURE
(Crop Protection-Weed Science)**

JANUARY 2020

ACCEPTANCE SHEET


This undergraduate thesis manuscript entitled “**COMPETITIVE ABILITY OF DIFFERENT DENSITY LEVELS OF SWAMP CABBAGE (*Ipomoea aquatica* L.) WITH TRANSPLANTED RICE (*Oryza sativa* L.)**” prepared and submitted by **MARIEL V. MACAPULAY**, in partial fulfillment of the requirements for the degree of **BACHELOR OF SCIENCE IN AGRICULTURE (CROP PROTECTION-Weed Science)**, is hereby accepted:


CELYNNE O. PADILLA, M.Sc.
Adviser

10 Jan 2020
Date Signed


RONALDO T. ALBERTO, Ph.D.
Critic

16 Jan 2020
Date Signed


CELYNNE O. PADILLA, M.Sc.
Department Research Coordinator

10 Jan 2020
Date Signed

Accepted as partial fulfillment of the requirements for the degree of **BACHELOR OF SCIENCE IN AGRICULTURE (CROP PROTECTION-Weed Science)**:


RONALDO T. ALBERTO, Ph.D.
Chair, Department of Crop Protection

10 Jan 2020
Date Signed


MARIA LUISA F. MASON, Ph.D.
College Research Coordinator

14 Jan 2020
Date Signed


ARIEL G. MACTAL, Ph.D.
Dean, College of Agriculture

Jan 14 2020
Date Signed

BIOGRAPHICAL SKETCH

The author, Mariel Vergara Macapulay, was born on September 29, 1996 and she was 23 years of age. Her currently address was in Purok Maligaya II, Poblacion North Science City of Muñoz, Nueva Ecija. Her parents were name Maryln Vergara and Rolando Macapulay, Jr.

She graduated her primary level at Muñoz North Central School and her secondary at Muñoz National High School.

The author was came from a poor family and her parents were separated since she was at primary level. She is now with her grandparents namely: Amelita Vergara and Florencio Vergara. Before she continue her study at college level, she stop studying for one year because she cannot afford to took college and she applied different kind of work.

She decided to continue her study at Central Luzon State University because she took scholarship and passed all the requirements. Her degree was Bachelor of Science In Agriculture Major in Crop Protection specializing in Weed Science.

To gain more friends and to improve his personality she joined Pest Management Society a college based organization and CLSU Green crusaders, a non-college base organization at Central Luzon State University.

ACKNOWLEDGMENT

For the fulfillment of dreams and aspirations, many faces and hands helped in molding these dreams into reality. In this view, the author wishes to express her deepest appreciation and profound gratitude to the persons and entities who in one way or another have been a part of the completion and success of this academic undertaking.

To her adviser, Mrs. Celynne Ocampo Padilla for guidance, encouragement, support, criticism and suggestion she provided at the start of conducting of her thesis and toward the completion of her manuscript.

To her critic, Dr. Ronaldo T. Alberto, for criticizing her paper and valuable comments.

To all faculty staff of the Department of Crop Protection and to Ate Sheng, Kuya Mac Mac and Ate Cristina for assistance and providing the materials needed by the author.

To her co-major in Crop Protection, Dianne, Jaynalyn, Mary Jane, El Jane and Kath for their help and giving some suggestions about her study.

To her friends, Jamika, Trisha, Krizelle, Joan, Carissa, Hyancynth, Christian, Jhomar, Jeric, Jericho, Romel and Justine Mae for helping her, sharing the joy and wonderful moments.

The author likewise extends his heartfelt thanks to her grandparents, Mr. Florencio Vergara and Amelita Vergara and his uncles and aunties namely: Ryan Vergara, Albert Vergara, Arnel Vergara, Rodalyn Vergara and Dianne Vergara the

people who are dearest to her heart love and care they shared, for the moral financial support and for all the prayers that inspired her to make each day worth living, trust, understanding. As well as financial support to acquire higher education in preparation for the future.

To her special someone, for his full support, encouragement, patience, love, trust and for being her inspiration.

Above all, to ALMIGHTY GOD, for his unending guidance and provision of wisdom. For giving courage, strength and determination to face and endure all the challenges and trials the author had encountered, for the blessings, for giving all the wonderful chances in life. The author wishes to thank and give back all the glory to God, to all of them, this piece of work is humbly and whole-heartedly dedicated.

TABLE OF CONTENTS

	PAGE
LIST OF TABLES	viii
LIST OF APPENDICES	ix
LIST OF APPENDIX TABLES	x
LIST OF APPENDIX FIGURES	xi
ABSTRACT	xii
INTRODUCTION	
Background of the Study	1
Importance of the Study	2
Objectives of the Study	2
Statement of the Problem	3
Scope and Limitation of the Study	3
Time and Place of the Study	3
REVIEW OF RELATED LITERATURE	
Losses Due to Weeds	4
Critical Period of Crop Weed Competition	4
Species Description	5
Biology and Ecology	5
Growing Conditions	6
Weed Damage	7
Natural Enemies	8
Importance of Crop-Weed Competition Studies	9
MATERIALS AND METHODS	
Preparation of Planting Materials	11
Experimental Design	11
Cultural Management	12
System of Planting	12
Variety Used	12
Water management	12
Fertilizer Application	12
Harvesting	12
Data Gathered	13
Data Analysis	14

RESULTS AND DISCUSSION	12
Plant Height, Number of Leaves and Number of Tillers	15
Number of Panicles, Fresh Weight and Dry Weight of Rice	17
Rice Yield and Yield Components	18
Percent Yield Loss	19
Fresh Weight and Dry Weight of <i>Ipomoea aquatica</i>	20
SUMMARY, CONCLUSION AND RECOMMENDATION	22
LITERATURE CITED	24
APPENDICES	30

LIST OF TABLES

TABLE		PAGE
1	Density level of <i>Ipomoea aquatica</i> (5cm-2 nodes) associated with transplanted rice.	12
2	Mean height, number of leaves and tillers as affected by different density levels of <i>Ipomoea aquatica</i> .	16
3	Mean numbers of panicles, fresh weight and dry weight as affected by different density level of <i>Ipomoea aquatica</i> .	18
4	Mean of rice yield and yield components as affected by different density levels of <i>Ipomoea aquatica</i> .	20
5	Mean of fresh and dry weight at different density of <i>Ipomoea aquatica</i> .	21

LIST OF APPENDICES

APPENDIX		PAGE
I	Analysis of Variance Tables of Rice Plant Height, Number of Leaves, Number of Tillers, Number of Panicles, Fresh Weight, Dry Weight, and Yield and Yield Components of Rice as Affected by Different Density Levels of <i>Ipomoea aquatica</i>	31
II	Analysis of Variance Tables of Fresh Weight and Dry Weight of Different Density Levels of <i>Ipomoea aquatica</i>	35
III	Figures of Rice with <i>Ipomoea aquatica</i>	36
IV	Data Gathering	37
V	Data gathered at Harvest	38
VI	1000 Grains of Rice	42

LIST OF APPENDIX TABLES

APPENDIX TABLE		PAGE
1a	Mean height of rice plants as affected by different density levels of <i>Ipomoea aquatica</i>	31
1b	Mean number leaves of rice plants as affected by different density levels <i>Ipomoea aquatica</i>	31
1c	Mean number of rice tillers as affected by different density levels of <i>Ipomoea aquatica</i>	32
2a	Mean number of rice panicles as affected by different density levels of <i>Ipomoea aquatica</i>	32
2b	Fresh weight of rice plants as affected by different density levels of <i>Ipomoea aquatica</i>	32
2c	Mean dry weight of rice plants as affected by different density levels of <i>Ipomoea aquatica</i>	33
3a	Mean number of filled grains of rice plants as affected by different density levels of <i>Ipomoea aquatica</i>	33
3b	Mean number of unfilled grains of rice plants as affected by different density levels <i>Ipomoea aquatica</i> .	33
3c	Mean weight of 1000 grains of rice plant rice plants as affected by different density levels of <i>Ipomoea aquatica</i>	34
4a	Mean number of percent filled grains of rice plants as affected by different density levels of <i>Ipomoea aquatica</i>	34
4b	Mean number of percent yields reduction of rice plants as affected by different density levels of <i>Ipomoea aquatica</i>	34
5a	Mean number of fresh weight of <i>Ipomoea aquatica</i>	35
5b	Mean number of dry weight of <i>Ipomoea aquatica</i>	35

LIST OF APPENDIX FIGURES

APPENDIX FIGURE		PAGE
1	Rice with different density levels of <i>Ipomoea aquatica</i> (a) 0 density (b) 3 density (c) 6 density (d) 9 density (e) 12 density at 30 days	36
2	(a) Counting of filled grains (b) counting of unfilled grains (c) counting the number of leaves and tiller	37
3	Fresh rice plant as affected by different density levels of <i>Ipomoea aquatica</i> (a) 0 density (b) 3 density (c) 6 density (d) 9 density (e) 12 density	38
4	Fresh <i>Ipomoea aquatica</i> at different density levels (a) 3 density (b) 6 density (c) 9 density (d) 12 density	39
5	Dried rice plant as affected by different density levels of <i>Ipomoea aquatica</i> (a) 0 density (b) 3 density (c) 6 density (d) 9 density (e) 12 density	40
6	Dried <i>Ipomoea aquatica</i> with different density levels (a) 3 density (b) 6 density (c) 9 density (d) 12 density	41
7	1000 grains of rice as affected by different density levels of <i>Ipomoea aquatica</i> (a) 0 density (b) 3 density (c) 6 density (d) 9 density (e) 12 density	42

LITERATURE CITED

- Abeysekera, S. K. (2001). Management of *Echinochloa* spp. in rice in Sri Lanka. Paper presented at the FAO workshop on *Echinochloa* spp. control, Beijing, China, p3
- Agrow. (2003). Agrochemical sales flat in 2002. Agrow: World Crop Protection News. http://ipm.osu.edu/trans/043_141.htm. Accessed November 7, 2012.
- Akobunudu, I. O. (1987). Weed science in the tropics: *Principles and Practices*, Chichester, Wiley, UK.
- Alam, S. M. (2003). Weeds and their ill effects on main crops. Dawn the internet edition: <http://DAWN.com>
- Ali, Y., & Awan, A. R. (2004). Influence of salinity at seeding stage and on yield and yield components of different rice lines. *Int. Journal. Biology Biotechnology 1*: 175-179.
- Ampong-Nyarko, K., & De Datta, S. K. (1991). *A Handbook for Weed Control in Rice*. International Rice Research Institute (IRRI), Manila, Philippines.
- Anonymous. (1959). Wealth of India, raw materials. CSIR, New Delhi, 5:237.
- Appleby, A. P., Muller, F., & Carpy, S. (2000). Weed control. Pages 687-707 in Muller F., ed. Agrochemicals. New York: Wiley.
- Ashton, H. (1973). Aquatic Plants of Australia. Melbourne, Australia: University Press.
- Azmi, M., Juraimi, A. S., & Najib, M. Y. M. (2007). Critical period for weedy rice control in direct seeded rice. *Journal of Tropical Agriculture and Food Science* 35: 319-332.
- Backer, C., & Van den Brink, R. (1965). Flora of Java, Vol II. Groningen, The Netherlands: Noordhoff.
- Begum M., Juraimi A. S., Rajan A., Syed Omar S. R., & Azmi M. (2008) Critical Period competition between *Fimbristylis miliacea* (L.) Vahl and Rice (MR220). *Plant Protec Quart* 23:153-157
- Bastiaans, L., & Kropff, M. J. (2003). WEEDS| Weed Competition, *Encyclopedia of Applied Plant Sciences*, Elsevier, Oxford, UK, pp. 1494- 1500.
- Bello, A. L. (2005). Ensuring Food Security-A Case for ASEAN Integration. *Asian Journal of Agriculture and Development* 2(1, 2): 87-108.
- Beltran, J. C. (2011). *Economic Analysis of Weed Management Options in Rice Production in the Philippines* (Master's Thesis). Central Luzon State University.

LITERATURE CITED

- Abeysekera, S. K. (2001). Management of *Echinochloa* spp. in rice in Sri Lanka. *Paper presented at the FAO workshop on Echinochloa spp. control*, Beijing, China, p3
- Agrow. (2003). Agrochemical sales flat in 2002. *Agrow: World Crop Protection News*. http://ipm.osu.edu/trans/043_141.htm. Accessed November 7, 2012.
- Akobunudu, I. O. (1987). *Weed science in the tropics: Principles and Practices*, Chichester, Wiley, UK.
- Alam, S. M. (2003). Weeds and their ill effects on main crops. Dawn the internet edition: <http://DAWN.com>
- Ali, Y., & Awan, A. R. (2004). Influence of salinity at seeding stage and on yield and yield components of different rice lines. *Int. Journal. Biology Biotechnology 1*: 175-179.
- Ampong-Nyarko, K., & De Datta, S. K. (1991). *A Handbook for Weed Control in Rice*. International Rice Research Institute (IRRI), Manila, Philippines.
- Anonymous. (1959). *Wealth of India, raw materials*. CSIR, New Delhi, 5:237.
- Appleby, A. P., Muller, F., & Carpy, S. (2000). Weed control. Pages 687-707 in Muller F, ed. *Agrochemicals*. New York: Wiley.
- Ashton, H. (1973). *Aquatic Plants of Australia*. Melbourne, Australia: University Press.
- Azmi, M., Juraimi, A. S., & Najib, M. Y. M. (2007). Critical period for weedy rice control in direct seeded rice. *Journal of Tropical Agriculture and Food Science 35*: 319-332.
- Backer, C., & Van den Brink, R. (1965). *Flora of Java, Vol II*. Groningen, The Netherlands: Noordhoff.
- Begum M., Juraimi A. S., Rajan A., Syed Omar S. R., & Azmi M. (2008) Critical Period competition between *Fimbristylis miliacea* (L.) Vahl and Rice (MR220). *Plant Protec Quart 23*:153-157
- Bastiaans, L., & Kropff, M. J. (2003). WEEDS| Weed Competition, *Encyclopedia of Applied Plant Sciences*, Elsevier, Oxford, UK, pp. 1494- 1500.
- Bello, A. L. (2005). Ensuring Food Security-A Case for ASEAN Integration. *Asian Journal of Agriculture and Development 2*(1, 2): 87-108.
- Beltran, J. C. (2011). *Economic Analysis of Weed Management Options in Rice Production in the Philippines* (Master's Thesis). Central Luzon State University.

- Beshir, M. E. (1978). Gravity-flow irrigation and the spread of aquatic weeds in Sudan. *Environmental Conservation*, 5(2):143-146.
- Cardina, J., Regnier, E., & Sparrow, D. (1995). Velvetleaf (*Abutilon theophrasti*) competition and economic thresholds in conventional- and no-tillage corn (*Zea mays*). *Weed Science* 43:81-87.
- Chauhan, H., Singh, J., & Sharma, D. (2017). Genetic Variability and Heritability Estimation in Water Spinach (*Ipomoea aquatica* Forsk) Genotypes. *International Journal of Current Microbiology and Applied Sciences*, 6 (9) 3018-3024
- Chowdhury, S.A., Majib , M.A., Haque, K.S., Islam, M., & Rahman., M.M. (1995). Effect of variety on yield and nutritive value of rice straw. *Asian Australian Journal Animal Science.*, 8(4): 329-335.
- Constantino, K. P., Gonzales, E. J., Lazaro, L. M., Serrano, E. C., & Samson, B. P., (2015). Presented at DLSUU Research Congress, De La Salle University, Manila Philippines.
- Datta, S., & Biswas, W. (1970). Germination regulating mechanisms in aquatic angiosperms. *Ciencias Naturais*, 39:175-180.
- De Datta, S. K., & Flinn, J. C. (1986). Technology and economics of weed control in broadcast-seeded flooded tropical rice, in Noda K, and Mercado, B.L. (eds.), Proceedings of the 10th Conference of Asian Pacific Weed Science Society, Weeds and the Environment in the Tropics Chiang Mai, Thailand, pp. 51-74.
- De Datta, S. K. (1981). Principles and Practices of Rice Production, John Wiley & Sons, INC. United State of America.
- Dew, D. A. (1972). An index of competition for estimating crop loss due to weeds. *Can Plant Science*, 52:921-927.
- Duatin, C. J. Y., & Pedro, L. B. de. (1986). Biology and host range of the taro planthopper, *Tarophagus proserpina* Kirk. *Annals of Tropical Research*, 8(2):72-80.
- Dunan, C. M., Westra, P., Schweizer, E. E., Lybecker, D. W., & Moore, F. D. (1995). The concept and application of early economic period threshold: the case of DCPA in onions (*Allium cepa*). *Weed Science*, 43:634-639.
- Edic, H. H., & Ho, B. W. C. (1969). *Ipomoea aquatica* as a vegetable crop in HongKong *Econ. Bot.*, 23:32-36.

- Ekcleme E., Kamara A.Y., Oikeh S. O., Chikoye, D., & Omoigui, L. O. (2007). Effect of weed competition upland rice production in north-eastern Nigeria. *Africa Crop Science Procedure* 8: 61 – 65
- Evans, S. P., Knezevic, S. Z., Lindquist, J. L., Shapiro, C. A., & Blankenship, F. E. (2003). Nitrogen application influences the critical period for weed control in corn. *Weed Science*, 51:08– 417.
- Fernando, B.P., Laca, E.A., D.J., Mackill, G.M., Fernandez & A.J., Fischer, (2006). Relating rice traits to weed competitiveness and yield: a path analysis. *Weed Science*, 54: 1122-1131.
- Gamble, J. S. (1921). Flora of Presidency of Madras, India.
- Gibson, K. D., Hill, J. E., Foin., T. C., Caton, B. P., & Fischer, A. J. (2001). Water seeded rice cultivars differ in ability to interference with wategrass, *Agronomy Journal* 93(2): 326 – 332.
- Gilbert, K. (1984). A review of the aquatic plant *Ipomoea aquatica* (water spinach). Report prepared by the Bureau of Aquatic Plant Research and Control, Florida Department of Natural Resources. USA, USDA.
- Giri, D., Banerjee, K., Laha, S. K., & Khatua, D. C. (1989). Some diseases of horticultural and field crops. *Environment and Ecology*, 7(4):821-825.
- Ghamari, H. (2015). Weed interference effects on Leaves, Internode and Harvest Index of Dry Bean (*Phaseolus vulgaris*. L.). *Not. Sci Biol*, 7(11):111–115. DOI:10.15835/NSB.7.1.9415. Retrieved from www.notulaebiologicaero.
- Hamkim, A. Md., Juraimi, A. S., Musa, M. H., Ismail, M. R., Rahman, M. Md., & Selamat, A. (2003). Impacts of Weed Control in Rice under Saline Environment. *Australlian Journal of Crop Science*, 1835-2707.
- <https://www.cabi.org> Retrieved on September 2018.
- <https://www.plantwise.core> Retrieved on September 2018.
- <http://www.iucngisd.org> Retrieved on September 2018.
- Huang, H. (1981). Effects of temperature on germination, growth, and dry matter content of two high nutritive value tropical vegetables-edible amaranth and water convolvulus. *Memoirs of the College of Agriculture, National Taiwan University*, 21(1):88-105.

- Jena, S., & Patro, G. (1990). Weed composition in dry seeded wetland rice. *International Rice Research Newsletter*, 15(3):34.
- Johannes, H. (1972). Importance of aquatic weeds in warm climates. *Berichte aus der Abteilung für Herbologie an der Universität Hohenheim*, (3):15-25.
- Karim, S. M. R., Azmi B. M., & Ismail B. S. (2004). Weed problems and their management in rice fields of Malaysia: An overview. *Weed Biology Management* 4: 177-186
- Knezevic, S. Z., Weise, S. F., & Swanton, C. J. (1994). Interference of redroot pigweed (*Amaranthus retroflexus*) in corn (*Zea mays*). *Weed Science*, 42, pp. 568-573.
- Kropff, M. J., & Spitters, C. J. T. (1991) A simple model of crop loss by weed competition from early observations on relative leaf area of the weed. *Weed Research* 31:97-105.
- Kropff, M. J., & Lotz, L. A. P. (1993). Empirical models for crop-weed competition interactions, in Kropff M.J. and van Laar, H.H. (eds.), *Modelling Crop-weed Interactions*, CAB International, Wallingford, Oxon OX10 8DE, UK, pp. 9-23.
- Kropff, M. J., & Van Laar, H. H. (1993). *Modelling crop-weed interactions*. CABI International, Wallingford.
- Madhu, M., & Nanjappa, H. V. (1996). Crop weed competition for nutrients in puddle seeded rice. *Indian Journal of Weed Science* 28: 4-7.
- Mochida, O. (1991). Spread of freshwater Pomacea snails (Pilidae, Mollusca) from Argentina to Asia. *Micronesica*, No. 3, Supplement:51-62.
- Mukherjee, P. K., Sarkar, A., & Maity, S. K. (2008). Critical period of crop-weed competition in transplanted and wet-seeded kharif rice (*Oryza sativa* L.) under Terai Conditions. *Indian Journal Weed Science* 40: 147-152.
- Mukhopadhyay, S. S. (1995). Current status and future lines of weeds management in rice crop with particular reference to India. In: *Proceedings of 15th Asia Pacific Weed Science Conference*. Tsukuba, Japan. 14-18 July 1995. pp. 28-41
- O'Donovan, J. T., Remy, E. A. D. S., O'Sullivan, P. A., Dew, D. A., & Sharna, A. K. (1985). Influence of the relative time of emergence of wild oat (*Avena fatua*) on yield loss of barley (*Hordeum vulgare*) and wheat (*Triticum aestivum*). *Weed Science* 33, pp. 498-503.
- Parham, J. (1958). *The weeds of Fiji*. Suva, Fiji: Government Press.

- Patnaik, S. (1976). Autecology of *Ipomoea aquatica* Forsk. *Journal of the Inland Fisheries Society of India*, 8:77-82.
- Payne, W. J. (1956). *Ipomoea reptans* Poir. A useful tropical fodder plant. *Trop. Agric. Trin.*, 33:302-305.
- Peregrine, W. (1974). Annual report of the Plant Pathologist. Brunei: Department of Agriculture.
- PhilRice. (2008b). The Philippine Rice Masterplan 2009-2013. PhilRice, Nuceva Ecija.
- Raju, R. A., & Reddy, M. N. (1986). Protecting the world's rice crops. *Agricultural Information Development Bulletin*, 8(2):17-18
- Ruelo, J. (1980). Countering nematode threat. *Centerpoint*, (Fall 1980):4. <https://cabi.org/ISC/abstract/19810885091>.
- Salawu, E. O., Ambursa, A. S., & Manga, Y. B. (1991). Weed and crop hosts of root-knot nematode, *Meloidogyne javanica* (Treub, 1885) Chitwood, 1949 in North West Nigeria. *Pakistan Journal of Nematology*, 9(2):109-117.
- Satpathy, B. (1964). Kalami sag, a new addition to our greens. *Indian Farming*, 14(8):12.
- Shetty, S. V. R., & Gill, H. S. (1974). Critical period of crop-weed competition in rice (*Oryza sativa* L.). *Indian Journal of Weed Science*, 6 (2): 101-107.
- Singh, U. P., Singh, R. K., & Singh, R. P. (2004). Performance of herbicides and cultivars under zero till situation of rainfed lowland rice eco-system. *Indian Journal. Weed Science.*, 36 (1%2): 122-123.
- Smith, R. J., Jr. (1983). Weeds of major economic importance in rice and yield losses due to weed competition, *Proceeding of the Conference on Weed Control in Rice*, International Rice Research Institute (IRRI) and International Weed Science Society (IWSS), 31- August-4 September 1981, IRRIO, Los Baños, Laguna, Philippines, pp. 19-36.
- Smith, R.J., Jr., Flinchum, W. T., & Seaman, D. E. (1977). *Weed Control in U.S. Rice Production*. U.S. Department of Agriculture Handbook. 497, U.S. Government Printing Office, Washington D.C USA.
- Synder, G. H., Morton, J. F., & Genung, W. G. (1981). Trials of *Ipomoea aquatica*, nutritious vegetable with high protein and nitrate extraction potential. *Proceedings of the Florida State Horticultural Society*, 94:230-235.

- Teruya, R. (1979). Host range of a plant-parasitic nematode species, *Paratrophurus* sp. in Okinawa, the Ryukyu Islands. *Bulletin of the Okinawa Agricultural Experiment Station*, No. 3:56-64.
- Tiwari, N., & Chandra, V. (1985). Water spinach - its varieties and cultivation. *Indian Horticulture*, 30(2):23-24.
- Vanaja, T. (2011). *Evaluation of New Post Emergence Herbicides in Transplanted Rice* (Master's Thesis). Acharya N.G. Agricultural University.
- Varshney, C. K., & Rzoska, J. (1976). Aquatic weeds in S.E. Asia. Proceedings of a Regional Seminar on Noxious Aquatic Vegetation, New Delhi, 1973. Aquatic weeds in S.E. Asia. Proceedings of a Regional Seminar on Noxious Aquatic Vegetation, New Delhi, 1973. 396 pp.; [240 X 160 mm].
- Vicencio, E. J. M., & Buot, Jr, I. E.(2017). Weed Research in ASEAN Copuntries:An Annstated Bibliography. *Journal of Nature Studies*. 16 (2): 24-53.
- Westbrooks, R. (1989). Regulatory exclusion of Federal Noxious Weeds from the United States. Ph.D. Dissertation. Raleigh, North Carolina: Department of Botany, North Carolina State University.
- Westbrooks, R., & Eplee, R. (1989). Federal Noxious Weeds in Florida. Proceedings of the Southern Weed Science Society, 42:316-321.
- Westphal, E. (1992). *Ipomoea aquatica* Forssk. In: 't Mannetje L, Jones R, eds. *Plant resources of Southeast Asia*. No. 4. Forages. Wageningen, Netherlands: Pudoc Scientific Publishers, 16.