

**EMBRYO-TOXIC AND TERATOGENIC ACTIVITY OF GREEN MUSSEL
(*Perna viridis*) AND GOLDEN APPLE SNAIL (*Pomacea canaliculata*)
ETHANOLIC EXTRACTS IN ZEBRAFISH EMBRYOS**

ROLEN L. RAMIREZ

An Undergraduate Thesis Submitted to the Faculty of the Department of Biological
Sciences, College of Arts and Sciences, Central Luzon State University,
Science City of Muñoz, Nueva Ecija, Philippines
in Partial Fulfillment of the Requirements
for the Degree of

**BACHELOR OF SCIENCE IN BIOLOGY
(Major in Zoology)**

JUNE 2019

TABLE OF CONTENTS

	PAGE
LIST OF TABLES	vii
LIST OF FIGURES	viii
LIST OF APPENDICES	ix
LIST OF APPENDIX TABLES	x
LIST OF APPENDIX FIGURES	xi
ABSTRACT	xii
INTRODUCTION	1
Background of the Study	1
Objectives of the Study	2
Significance of the Study	3
Scope and Limitations of the Study	3
Time and Place of the Study	3
REVIEW OF RELATED LITERATURE	4
Taxonomic Hierarchy of <i>Perna viridis</i>	4
Description of <i>Perna viridis</i>	5
Importance and Nutritional Composition of <i>Perna viridis</i>	5
Taxonomic Hierarchy <i>Pomacea canaliculata</i>	6
Description of <i>Pomacea canaliculata</i>	7
Importance and Nutritional Composition of <i>Pomacea canaliculata</i>	8
Teratology and Embryo-toxicity Test	8
Zebrafish as Animal Model	9
MATERIALS AND METHODS	11
Source of <i>P. viridis</i> and <i>P. canaliculata</i>	11
Preparation of Sample	11
Ethanollic Extraction	11
Zebrafish Care, Culture and Maintenance	11
Zebrafish Spawning	12
Treatment Preparation	12
Teratogenicity and Toxicity Assay	12
Data Gathered	13
Statistical Analysis	14

RESULTS AND DISCUSSION	15
Embryo-Toxicity of <i>P. viridis</i> and <i>P. canaliculata</i> Extracts	15
Mortality of Embryos	15
Heartbeat Rate	17
Hatchability of Embryos	18
Teratogenic Activity of <i>P. viridis</i> and <i>P. canaliculata</i> Ethanolic Extract	19
Delayed Development	19
Morphological Abnormalities	21
SUMMARY, CONCLUSION AND RECOMMENDATIONS	22
Summary	22
Conclusion	23
Recommendation	23
LITERATURE CITED	24
APPENDICES	27

LIST OF TABLES

TABLE		PAGE
1	Stages of embryonic development of the <i>D. rerio</i> at 26±1°C (Kimmel <i>et al.</i> , 1995)	10
2	Different Toxicological Endpoints of Zebrafish (Schulte & Nagel, 1994)	13
3	Mean percentage mortality of <i>D. rerio</i> embryos after 12, 24, 36 and 48 hours of exposure to different concentrations of <i>P. viridis</i> ethanolic extract	15
4	Mean percentage mortality of <i>D. rerio</i> embryos after 12, 24, 36 and 48 hours of exposure to different concentrations of <i>P. canaliculata</i> ethanolic extract	17
5	Mean heartbeat rate of <i>D. rerio</i> embryos at pharyngeal stage expose at different concentration of <i>P. viridis</i> and <i>P. canaliculata</i> ethanolic extract	17
6	Mean percentage hatchability of <i>D. rerio</i> embryos after 48 hours of exposure to different concentrations of <i>P. viridis</i> and <i>P. canaliculata</i> extract	18

LIST OF FIGURES

FIGURE		PAGE
1	Green mussel (<i>P. viridis</i>)	4
2	Golden apple snail (<i>P. canaliculata</i>)	6
3	Morphological endpoints of <i>D. rerio</i> embryo at different concentration of <i>P. viridis</i> ethanolic extract after 48 hours of treatment exposure. (A) 1ppm, (B) 10ppm, (C) 100ppm, (D) 1000ppm, (E) 10,000ppm and (F) control	20
4	Morphological endpoints of <i>D. rerio</i> embryo at different concentration of <i>P. canaliculata</i> ethanolic extract after 48 hours of treatment exposure. (A) 10,000ppm, (B) 1000ppm, (C) 100ppm, (D) 10ppm, (E) 1ppm and (F) control	20
5	Morphological malformation of embryos after exposure to <i>P. canaliculata</i> ethanolic extract at 1000ppm. (A) bent tail after 60 hours, (B) yolk deformity after 48 hours of treatment exposure	21

LIST OF APPENDICES

APPENDIX		PAGE
A	Analysis of Variance	28
B	Photo Documentation	31

LIST OF APPENDIX TABLES

APPENDIX TABLE		PAGE
1	Analysis of variance of percentage mortality of zebrafish embryo treated with <i>P. viridis</i> ethanolic extract after 12 hours of exposure	28
2	Analysis of variance of percentage mortality of zebrafish embryo treated with <i>P. viridis</i> ethanolic extract after 24 hours of exposure	28
3	Analysis of variance of percentage mortality of zebrafish embryo treated with <i>P. viridis</i> ethanolic extract after 36 hours of exposure	28
4	Analysis of variance of percentage mortality of zebrafish embryo treated with <i>P. viridis</i> ethanolic extract after 48 hours of exposure	28
5	Analysis of variance of percentage mortality of zebrafish embryo treated with <i>P. canaliculata</i> ethanolic extract after 12 hours of exposure	29
6	Analysis of variance of percentage mortality of zebrafish embryo treated with <i>P. canaliculata</i> ethanolic extract after 24 hours of exposure	29
7	Analysis of variance of percentage mortality of zebrafish embryo treated with <i>P. canaliculata</i> ethanolic extract after 36 hours of exposure	29
8	Analysis of variance of percentage mortality of zebrafish embryo treated with <i>P. canaliculata</i> ethanolic extract after 48 hours of exposure	29
9	Analysis of variance of percentage heartbeat of zebrafish embryo treated with <i>P. viridis</i> ethanolic extract at pharyngeal stage	30
10	Analysis of variance of percentage heartbeat of zebrafish embryo treated with <i>P. canaliculata</i> ethanolic extract at pharyngeal stage	30
11	Analysis of variance of percentage hatchability of zebrafish embryo treated with <i>P. viridis</i> ethanolic extract after 48 hours	30
12	Analysis of variance of percentage hatchability of zebrafish embryo treated with <i>P. canaliculata</i> ethanolic extract after 48 hours	30

LITERATURE CITED

- Annamalai, N., Anburaj, R., Jayalaksmi, S., & Thavasi, R. (2007). Antibacterial activities of green mussel (*Perna viridis*) and edible oyster (*Crassostrea madrasensis*). *Research Journal of Microbiology*, 2, 278-982.
- Benkendorff, K. (2010). Molluscan biological and chemical diversity: secondary metabolites and medicinal resources produced by marine mollusk. *Biological Review*, 85(4), 757-775.
- Brannen, K., Kelly, J., Danberry, T., & Rauch, K. (2010). Development of a zebrafish embryo teratogenicity assay and quantitative prediction model. *Birth Defect Research Part B: Developmental and Reproductive Toxicology*, 89(1), 66-77.
- Chandran, B., Rameshkumar, G., & Ravichandran, S. (2009). Antimicrobial activity from the gill extraction of *Perna viridis* (Linnaeus, 1758). *Global Journal of Biotechnology & Biochemistry*, 4(2), 88-92.
- Chan, P., Lin, C., & Cheng, S. (2009). Noninvasive technique for measurement of heartbeat regularity in zebrafish (*Danio rerio*) embryos. *BMC Biotechnology*, 9(1), 11.
- Douangbupha, B., & Khamphoukeo, K. (1998). Golden Apple Snail damage and management practices in rice farmers field in the Lao PDR. *National Agriculture and Forestry Research Institute*, 275-280.
- Dulay, R., Kalaw, S., Reyes, R., & Cabrera, E. (2014). Embryo-toxic and teratogenic effect of Philippine strain of *Lentinus tigrinus* (Tiger Sawgill Basidiomycetes) Extract on Zebrafish (*D. rerio*) embryos. *Scholar Research Library*, 5(6), 9-14
- Dulay, R., Pamiloza, D., & Ramirez, R. (2018). Toxic and teratogenic effect of mycelia and fruiting body extract of *Lentinus strigosus* (BIL 1324) in zebrafish *Danio rerio* embryo. *International journal of biosciences*, 13(5), 205-211.
- Gosling, E. (2003). Bivalve mollusc: biology, ecology and culture. *Blackwell Publishing Editorial Editions*, Retrieved from <https://www.wiley.com/en-us/Bivalve+Molluscs%3A+Biology%2C+Ecology+and+Culture-p-978085238234>.
- Hamid, S., Halim, N., & Sarbon, N. (2015). Optimization of enzymatic hydrolysis condition of golden apple snail (*Pomacea canaliculata*) protein by alcalase. *International Food Research Journal*, 229(4), 1615-1623.
- Joshi, R. (2007). Problem with the management of the golden apple snail *Pomacea canaliculata*: an important pest of rice in Asia. *Area-wide Control of Insect Pest*, 257-264.

- Kenji, I. (2003). Expansion of the golden apple snail (*Pomacea canaliculata*) and features of its habitat. *Food and Fertilizer Technology Center*. Retrived from <http://www.fftc.agnet.org/library.php?func=view&id=20110712080302>.
- Kimmel, C., Ballard, W., Kimmel, S., Ullmann, S., & Schilling, T. (1995). Stage of embryonic development of the zebrafish. *Developmental Dynamics*, 203(3), 253-310.
- Kaensombath, L. (2005). Evaluation of the nutritive value of ensiled and fresh Golden Apple Snail (*Pomacea spp*). *Research Paper, National University of Laos*, 4-6.
- McClain, R., & Becker, B. (2012). Teratogenicity, fetal toxicity, and placental transfer of lead nitrate in rats. *Toxicology and Applied Pharmacology*, 31(1), 72-82.
- McGrath, P., & Li, C. (2008). Zebrafish: a predictive model for assessing drug-induced toxicity. *Drug Discovery Today*, 394-401.
- Mitra, D. & Chatterji, A. (2004). Indian green mussel (*Perna viridis*) as a source of anti-HIV activity. *US Patent*, 6, 770-302.
- Mochida, O. (1988). Nonseedborne rice pests of quarantine importance in rice seed health. *Manila International Rice Research Institue*, 117-129.
- Monirith, I., Ueno, D., Takahashi, S., Nakata, H., Sudaryanto, A., Subramanian, A., Karuppiah, S., Ismail, A., Muchtar, M., Zheng, J., Richardson, B., Prudente, M., Hue, N., Tana, T., Tkalin, A., & Tanabe, S. (2003). Asia pacific mussel watch: monitoring contamination of persistent organochlorine compounds in coastal waters os asian countries. *Marine Pollution Bulletin*, 46, 281-300.
- Nagel, R. (2002). DarT:the embryo test with the zebrafish *Danio rerio*-a general model in ecotoxicology and toxicology. *Altex 19 Suppl*, 38-48.
- Owalabi, O., Omogbal, E., & Obasuyi, O. (2007). Antifungal and antibacterial activities of the ethanolic and aqueous extract of *Kigelia africana* (Bignoniaceae) stem bark. *African Journal of Biotechnology*, 6(14), 1677-1680.
- Parng, C., Seng, W. L., Semino, C., & Mcgrath, P. (2002). Zebrafish: a preclinical model for drug screening. *Assay and Drug Development Technologies*, 1(1), 41-48.
- Putra, S., Ishak, N., & Sarbon, N. (2018). Preparation and caracterezation of physiochemical properties of Golden Apple Snail (*Pomacea canaliculata*) protein hydrolysate as affected by different protease, *Biocatalyst and Agricultural Biotechnology*, 13, 123-128.
- Pena, S., & Poscidio, G. (2008). Accumulation of copper by Golden Apple Snail *Pomacea canaliculata* Lamark. *Philippine Journal of Science*, 137(2), 153-158.

- Rajagopal, S., Venugopalan, V., Velde, G., & Jenner, H. (2006). Greening of the cost: a review of *Perna viridis* success story. *Aquatic Ecology*, 40(3), 273-297.
- Romagosa, C., David, E., & Dulay, R. (2016). Embryo-toxic and teratogenic effect of *Tinospora cordifolia* leaves and bark extract in Zebrafish *Danio rerio* embryos. *Asian Journal of Plant Science and Research*, 6(2), 37-41.
- Saritha, K., Mary, D., & Patterson, J. (2015). Nutritional status of green mussel *perna viridis* at tamil nadu southwest coast of india. *Journal of Nutrition and Food Science*, (4), 1
- Schulte, C., & Nagel, R. (1994). Testing acute toxicity in the embryo of zebrafish *Brachydanio rerio* as an alternative to the acute fish test: preliminary results. *Atla*, 22(1), 12-19.
- Siddall, S. (1980). A clarification of the Genus *Perna* (Mytilidae). *Bulletin of Marine Science*, 30(4), 858-870.
- Sreejamole, K., & Radhakrishnan, C. (2010). Preliminary qualitative chemical evaluation of the extracts from mussel *Perna viridis*, *International Journal of Pharmaceutical Sciences Review and Research*, 5(2), 38-42.
- Sreejamole, K., & Radhakrishnan, C. (2013). Antioxidant and cytotoxic activity of ethyl acetate extract of the indian green mussel *Perna viridis*. *Asian Journal of Pharmaceutical and Clinical Research*, 6(3), 197-201.
- Sreejamole, K., Radhakrishnan, C., & Padikkala, J. (2011). Anti-inflammatory activity of aqueous/ethanol and methanol extract of *Perna viridis* Linn. in mice. *Inflammopharmacology*, 19(6), 335-341.
- Strahle, U., Scholz, S., Geisler, R., Greiner, P., Hollert, H., Rastegar, S., Schumacher, A., Selderslaghs, I., Weiss, C., Witters, H., & Braunbeck, T. (2012). Zebrafish embryo as an alternative to animal experiments-a commentary on the definition of the onset of protected life stages in animal welfare regulation. *Reproductive Toxicology*, 33(2), 128-132.
- Yap, C., Ismail, A., Tan, S., & Ismail, R. (2003). Assessment of different soft tissues of the green lipped mussel *Perna viridis* as biomonitoring agent of Pb: field and laboratory studies. *Water, Air and Soil Pollution*, 153(1-4), 253-268.
- Zon, L., & Peterson, R. (2005). In vivo drug discovery in the zebrafish. *Nature Reviews Drug Discovery*, 4(1), 35.

**EMBRYO-TOXIC AND TERATOGENIC ACTIVITY OF GREEN MUSSEL
(*Perna viridis*) AND GOLDEN APPLE SNAIL (*Pomacea canaliculata*)
ETHANOLIC EXTRACTS IN ZEBRAFISH EMBRYOS**

ROLEN L. RAMIREZ

An Undergraduate Thesis Submitted to the Faculty of the Department of Biological
Sciences, College of Arts and Sciences, Central Luzon State University,
Science City of Muñoz, Nueva Ecija, Philippines
in Partial Fulfillment of the Requirements
for the Degree of

**BACHELOR OF SCIENCE IN BIOLOGY
(Major in Zoology)**

JUNE 2019