

**ISOLATION AND IDENTIFICATION OF WATERBORNE BACTERIA FROM  
CLSU WATER SYSTEM AND THEIR RESISTANCE  
TO SELECTED PLANT EXTRACTS**

**EMMANUEL JERICHO B. JUAN**

An Undergraduate Thesis Submitted to the Faculty of the Department of Biological  
Sciences, College of Arts and Sciences, Central Luzon State University,  
Science City of Muñoz, Nueva Ecija, Philippines  
in Partial Fulfillment of the Requirements  
for the Degree of

**BACHELOR OF SCIENCE IN BIOLOGY  
(Major in Microbiology)**

**JUNE 2019**

## TABLE OF CONTENTS

	PAGE
LIST OF TABLE	viii
LIST OF APPENDICES	ix
LIST OF APPENDIX FIGURE	xi
LIST OF APPENDIX TABLE	x
ABSTRACT	xiv
INTRODUCTION	1
Background of the Study	1
Objectives of the Study	3
Significance of the Study	4
Scope and Limitations of the Study	4
Time and Place of the Study	5
REVIEW OF RELATED LITERATURE	5
Water	5
Diarrheal disease	6
Water Contamination	6
Bacteria	7
Description of <i>E. indica</i>	8
Folkloric uses of <i>E. indica</i>	9
Antibacterial and Antioxidant of <i>E. indica</i>	9
Description of <i>E. colona</i>	10
Antimicrobial property of <i>E. colona</i>	11
MATERIALS AND METHODS	12
Collection of the Samples and Isolation of Water Borne Bacteria	12
Serial Dilution	12
Simple Staining	13
Gram Staining	13
Spore Staining	14
Capsule Staining	14
Motility Test	15
Cultural Characterization of Bacterial Isolates	15
Collection and Preparation of Plant Materials	16
Disinfection of Plant Samples	16

Ethanol Extraction	16
Hexane Extraction	17
Preparation of Treatment and Control	17
Preparation of Bacterial Suspension	18
Preparation of Media and Assay Plates	18
Preparation of Paper Discs	18
Antibacterial Assay	19
Measuring of Zone of Inhibition	19
Data Gathered	19
Statistical Analysis	20
<b>RESULTS AND DISCUSSION</b>	<b>21</b>
Morphological and Cultural Characterization of Bacterial Isolates	21
Antibacterial Testing of the Different Plant Extracts	23
<b>SUMMARY, CONCLUSION, AND RECOMMENDATION</b>	<b>26</b>
Summary	26
Conclusion	26
Recommendation	26
<b>LITERATURE CITED</b>	<b>28</b>
<b>APPENDICES</b>	<b>33</b>

## LIST OF TABLES

TABLE		PAGE
1	The different treatments used in the antibacterial activity	17
2	Zone of inhibition of ethanol and hexane after 12 and 24 hours of incubation against <i>A. haemolyticus</i> and <i>K. intermedia</i>	24

## LIST OF FIGURES

FIGURE		PAGE
1	<i>E. indica</i> plant	8
2	<i>E. colona</i> (L.) plant	10
3	Left to right: (A) reaction in gram staining, (B) growth in eosin methylene blue agar, and (C) growth on nutrient agar.	20
4	Left to right: (A) reaction in gram staining, (B) growth in eosin methylene blue agar, and (C) growth on nutrient agar.	23

## LIST OF APPENDICES

APPENDIX		PAGE
A	Statistical Analysis	34
B	Certificate of Identification	35
C	Photo Documentation	38

## LIST OF APPENDIX TABLES

APPENDIX TABLE	PAGE
1 One way analysis of variance of the antibacterial activity as eradicant of the selected plant extracts against <i>A. haemolyticus</i> after 12 hours of incubation	34
2 One way analysis of variance of the antibacterial activity as eradicant of the selected plant extracts against <i>A. haemolyticus</i> after 24 hours of incubation	34
3 One way analysis of variance of the antibacterial activity as eradicant of the selected plant extracts against <i>K. intermedia</i> after 12 hours of incubation	34
4 One way analysis of variance of the antibacterial activity as eradicant of the selected plant extracts against <i>K. intermedia</i> after 24 hours of incubation	34

## LIST OF APPENDIX FIGURES

APPENDIX FIGURE		PAGE
1	Certificate of Identification of Selected Plants	35
2	Certificate of Identification of <i>A. haemolyticus</i>	36
3	Certificate of Identification of <i>K. intermedia</i>	37
4	Morphological and Cultural Characteristics of <i>A. haemolyticus</i>	38
5	Morphological and Cultural Characteristics of <i>K. intermedia</i>	38
6	Collection, Air Drying, Grinding and Weighing of Plant Samples	39
7	Hexane and Ethanol Extraction	39
8	Antibacterial Assay	40
9	Antibacterial activity after 12 hours of incubation of discs treated with (1) Ethanol extract of <i>E. indica</i> ; (2) Ethanol extract of <i>E. colona</i> ; (3) Hexane extract of <i>E. indica</i> ; (4) Hexane extract of <i>E. colona</i> ; (5) Streptomycin sulphate; (6) Hexane; (7) Ethanol.	41
10	Antibacterial activity after 24 hours of incubation of discs treated with (1) Ethanol extract of <i>E. indica</i> ; (2) Ethanol extract of <i>E. colona</i> ; (3) Hexane extract of <i>E. indica</i> ; (4) Hexane extract of <i>E. colona</i> ; (5) Streptomycin sulphate; (6) Hexane; (7) Ethanol.	42

## LITERATURE CITED

- Ajaib, M., Khan, K., Perveen, S. & Shah, S. (2013). Antimicrobial and antioxidant activities of *Echinochloa colona* (Linn.) Link and *Sporobolus coromandelianus*. *Journal Chemical Society of Pakistan*, 35, 960-965.
- Alonso, M., Barcelo, D., Castillo, M. & Ray, J. (1999). *US EPA Department of Environmental Chemistry, Barcelona Spain*, 33(1), 4-16.
- Al-Zubairi, A., Abdul, A., Abdelwahab, S., Peng, C., Mohan, S. & Elhassan, M. (2011). *Eleusine indica* possesses antioxidant, antibacterial and cytotoxic properties. *Evidence-Based Complementary and Alternative Medicine*, 2(1), 1-6.
- Barbuddhe, S.B. & Chakraborty, T. (2009). *Listeria* as an enteroinvasive gastrointestinal pathogen. *Microbiology Immunology*, 337(1), 173-195.
- Bent, S. (2008). Herbal medicine in the United States: review of efficacy, safety, and regulation: grand rounds at University of California, San Francisco Medical Center. *Journal of General Internal Medicine*, 23(6), 854-859.
- Bern, C., Martines, J., De Zoysa, I. & Glass, R. (1992). The magnitude of the global problem of diarrhoeal disease: a ten-year update. *Bulletin of the World Health Organization*, 70(6), 705.
- Block, J., Dincher, M., Gatel, D., Fass, S. & Reasoner, D. (1999). Fate of *E. coli* experimental infected in a drinking water distribution pilot system. *Journal for Water Works*, 1, 23-45.
- D'Amato, G., Cecchi, L., Bonini, S., Nunes, C., Annesi-Maesano, I., Behrendt, H. & Van Cauwenberge, P. (2007). Allergenic pollen and pollen allergy in Europe. *Allergy*, 62(9), 976-990.
- Daboora, S. & Haroon, A. (2012). *In vitro*: Antimicrobial potential and phytochemical screening of some Egyptian aquatic plants. *The Egyptian Journal of Aquatic Research*, 38(4), 233-239.
- Engell, S., Lim, S. & Rebecca E. (2013). Does clean water matter? An updated meta-analysis of water supply and sanitation interventions and diarrheal diseases. *The Lancet*, 1(13), 6198-6200.
- Harwood, V., Gandhi, J. & Wright, A. (2004). Methods for isolation and confirmation of *Vibrio vulnificus* from oysters and environmental sources: a review. *Journal Microbiology*, 9(1), 301-316.

- Holm, L., Plucknett, D., Pancho, J. & Herberger, J. (1991). The world's worst weeds. *Distribution and Biology*. University Press of Hawaii, 565-586.
- Hunter, P. (1998). Cyanobacterial toxins and human health. *Journal of Applied Microbiology*, 84(1), 25-40.
- Igbinosa, E., Obi, L. & Okoh, A. (2009). Occurrence of potentially pathogenic *vibrios* in final effluents of a wastewater treatment facility in a rural community of the Eastern Cape Province of South Africa. *Resistance Microbiology*, 160(8), 531-537.
- Lee, L. & Ngim, J. (2000). A first report of glyphosate-resistant goosegrass (*Eleusine indica* (L) Gaertn) in Malaysia. *Pest Management Science: formerly Pesticide Science*, 56(4), 336-339.
- Lo Presti, L., Lanver, D., Schweizer, G., Tanaka, S., Liang, L., Tollot, M. & Kahmann, R. (2015). Fungal effectors and plant susceptibility. *Annual Review of Plant Biology*, 66, 513-545.
- Luby, S., Agboatwalla, M., Painter, J., Altaf, A., Billhimer, W. & Hoekstra, R. (2004). Effect of intensive handwashing promotion on childhood diarrhea in high-risk communities in Pakistan: A randomized controlled trial. *Journal of the American Medical Association*, 291(2), 2547-2554.
- Luby, S., Agboatwalla, M., Razz, A. & Sobel, J. (2001). A low-cost intervention for cleaner drinking water in Karachi. *Pakistan International Journal Infection Distribution*, 5(1), 144-150.
- Medema, G., Payment, P., Dufour, A., Robertson, W., Waite, M., Hunter, P. & Andersson, Y. (2003). Safe drinking water: an ongoing challenge. *Assessing Microbial Safety of Drinking Water*, 11.
- Mindolli, P., Salmani, M., Vishwanath, G. & Hanumanthapa, A. (2010). Identification and speciation of *Acinetobacter* and their antimicrobial susceptibility testing. *Al Ameen Journal of Medical Sciences*, 3, 34-59.
- Mitscher, L., Drake, S., Gollapudi, S. & Okwute, S. (1987). A modern look at folkloric use of anti-infective agents. *Journal of Natural Products*, 50(6), 1025-1040.
- Morah, F. & Otuk, M. (2015). Antimicrobial and Anthelmintic Activity of *Eleusine indica*. *International Multidisciplinary Refereed Journal*, 1(4), 5-6.
- Nguyen, T., Malone, J., Boutsalis, P., Shirley, N. & Preston, C. (2016). Temperature influences the level of glyphosate resistance in barnyardgrass (*Echinochloa colona*). *Pest Management Science*, 72(5), 1031-1039.

- Oberoi, A., Aggarwal, A. & Lal, M. (2009). A decade of underestimated nosocomial pathogen-*Acinetobacter* in a tertiary care hospital in Punjab. *Journal of Medical Education and Research*, 11(2), 4-6.
- Park, S., MacKay, W. & Reid, D. (2001). *Helicobacter* sp. recovered from drinking water biofilm sampled from a water distribution system. *Water Resistance*, 35(1), 1624-1626.
- Parveen, S., Ahmed, M. & Nasreen, T. (2008). Microbial contamination of water in around Dhaka city. *Bangladesh Journal of Scientific Industry Residence*, 43(1), 273-276.
- Peerzada, A., Bajwa, A., Ali, H. & Chauhan, B. (2016). Biology, impact, and management of *Echinochloa colona* (L.) Link. *Crop Protection*, 83(1), 56-66.
- Priya, H., Veena, Pavithra, A. & Divya, J. (2014). Prospects and problems of utilization of weed biomass: A review research & reviews. *Journal of Agriculture and Allied Sciences*, 3(2), 1-11.
- Prüss, A. & Havelaar, A. (2001). The global burden of disease study and applications in water, sanitation and hygiene. In *Water Quality: Guidelines, Standards and Health*, 43-59.
- Pruss, A., Kay, D., Fewtrell, L. & Bartram, J. (2002). Estimating the burden of disease due to water, sanitation and hygiene at global level. *Environmental Health Prospect*, 110(2), 537-542.
- Qadri, F., Khan, A., Faruque, A., Begum, Y. & Chowdhury, F. (2005). Enterotoxigenic *Escherichia coli* and *Vibrio cholera* diarrhoea, Bangladesh. *Emerging Infection Distribution*, 11(2), 1104-1107.
- Queralt, N., Bartolome, R. & Araujo, R. (2005). Detection of *Helicobacter pylori* DNA in human faeces and water with different levels of faecal pollution in the north-east of Spain. *Journal of Applied Microbiology*, 98(2), 889-895.
- Rameshkumar, K. B., George, V. & Shiburaj, S. (2007). Chemical constituents and antibacterial activity of the leaf oil of *Cinnamomum chemungianum* Mohan et Henry. *Journal of Essential Oil Research*, 19(1), 98-100.
- Ribeiro, V., Zavascki, A., Rozales, F., Pagano, M., Magagnin, C., Nodari, C. & Barth, A. (2014). Detection of blaGES-5 in carbapenem-resistant *Kluyvera intermedia* isolates recovered from the hospital environment. *Antimicrobial Agents and Chemotherapy*, 58(1), 622-623.
- Sahu, R., Pradhan, C., Swain, B., Panigrahy, R. & Sahu, M. (2016). Surveillance of *Acinetobacter* spp and drug sensitivity pattern in an Indian tertiary care teaching

hospital. *International Journal of Pharmaceutical Sciences Review and Research*, 39(1), 203-207.

Sanchez, J. & Holmgren, J. (2005). Virulence factors, pathogenesis and vaccine protection in cholera and ETEC diarrhea. *Current Optimal Immunology*, 17(1), 388-398.

Sharma, S., Sachdeva, P. & Viridi, J. (2003). Emerging water-borne pathogens. *Applied Microbiology Biotechnology*, 61(6), 424-428.

Sidhu, J. & Toze, S. (2009). Human pathogens and their indicators in biosolids: a literature review. *Environment International*, 35(5), 187-201.

Westrell, T., Ciampa, N., Boelaert, F., Helwich, B., Korsgaard, H., Chri'el, M., Ammon, A. & Makela, P. (2009). Zoonotic infections in Europe in 2007: a summary of the EFSA-ECDC annual report. *Euro Surveill*, 14(3), 191-200.

Younes, M. & Bartram, J. (2001). Waterborne health risks and the WHO perspective. *International Journal of Hygiene and Environmental Health*, 204(4), 255-263.