

**PERFORMANCE EVALUATION OF DOUBLE-LAYERED GREENHOUSE
WITH MIST COOLING SYSTEM**

**OMIE A. CARBONEL
ROMMEL U. SERRANO**

An Undergraduate Thesis Submitted to the Faculty of the Department of Agricultural and
Biosystems Engineering, College of Engineering, Central Luzon State University,
Science City of Muñoz, Nueva Ecija, Philippines
in Partial Fulfillment of the Requirements
for the Degree of

**BACHELOR OF SCIENCE IN AGRICULTURAL AND BIOSYSTEMS ENGINEERING
(AB Structures and Environmental Engineering)**

MAY 2023

TABLE OF CONTENTS

	PAGE
TITLE PAGE	i
ACCEPTANCE SHEET	ii
BIOGRAPHICAL SKETCH	iii
ACKNOWLEDGEMENT	v
TABLE OF CONTENTS	ix
LIST OF TABLES	xii
LIST OF FIGURES	xiii
LIST OF APPENDIX TABLES	xv
LIST OF APPENDIX FIGURES	xxii
ABSTRACT	xxiii
INTRODUCTION	1
Background of the Study	1
Statement of the Problem	2
Objectives of the Study	3
Significance of the Study	3
Scope and Limitation of the Study	4
Time and Place of the Study	4
REVIEW LITERATURE	5
Greenhouse System	5
Trend in Using Greenhouse	7
Classification of Greenhouse	7
Double Layer Greenhouse	9
Design and Fabrication	11
Galvanized Steel Pipe	12
Polyethylene Plastic	15
Shade Cloth	18
Cooling System	20

Types of Cooling System	25
Passive Cooling System	26
Ventilation Systems	27
Evaporative Cooling	27
Heat Exchangers	28
Heat Pump Cooling Systems	28
Desiccant Systems	29
Temperature, Light Intensity, and Relative Humidity	29
Weather Condition in the Philippines	30
 METHODODOLOGY	 31
Conceptualization of the Study	31
Designing Criteria and Considerations	32
Materials and Methods of Construction	34
Foundations	34
Outer Section of the Structure	35
Structural Envelope in Double Layer Greenhouse	36
Mist Cooling System	37
Working Principle	38
Performance Evaluation of Double-Layered Greenhouse	39
Measurement of Relative Humidity and Temperature	40
Statistical Analysis	40
 RESULTS AND DISCUSSION	 42
The Constructed Double-Layered Greenhouse with Mist Cooling System	42
Performance Evaluation of Double-Layered Greenhouse	44
Difference Between Inside and Outside Condiyion of Double-Layered Greenhouse with Mist Cooling System	45
Fluctuation Of the Temperature Inside the Double-Layered Greenhouse With Misting System	50
Fluctuation Of the Relative Humidity Inside the Double-Layered Greenhouse With Misting System	55

Operating Cost of Double-Layered Greenhouse with Mist Cooling System	59
SUMMARY	61
CONCLUSION	63
RECOMMENDATION	64
LITERATURE CITED	65

LIST OF TABLES

TABLE		PAGE
1	Materials and Function	34
2	Double-Layered Greenhouse Specification	44
3	Operating Cost	60

LIST OF FIGURES

FIGURE		PAGE
1	Greenhouse Structure	5
2	Galvanized Steel Pipe	13
3	Polyethylene Plastic	16
4	Shade Cloth	19
5	Conceptual Framework	31
6	Structural Frame of double-layered greenhouse (front and rear view)	32
7	Concept of a double-layered greenhouse with mist cooling system	33
8	Double Layer Greenhouse with Mist Cooling System (Rear)	33
9	Galvanized Steel Pipe Foundation	35
10	Inner Frame of Greenhouse	35
11	Complete Structural Frame of Double-Layered Greenhouse	35
12	Inner Section of the structure	36
13	Complete layout of the structure	36
14	Mist Cooling System Spacing	37
15	Installed Misting System	38
16	Cross Sectional Area	39
17	Installed Thermohygrometers	40
18	Modified Fabricated Double-Layered Greenhouse	42
19	Difference between inside and outside Temperature and RH of the system at 0.5 roof difference	46
20	Difference between inside and outside Temperature and	

	RH of the system at 0.7 roof difference	47
21	Difference between inside and outside Temperature and RH of the system at 0.9 roof difference	48
22	Fluctuation of the Inside Temperature at 0.5m roof difference	51
23	Fluctuation of the Inside Temperature at 0.7m roof difference	52
24	Fluctuation of the Inside Temperature at 0.9m roof difference	54
25	Fluctuation of the Inside Relative Humidity at 0.5m roof difference	56
26	Fluctuation of the Inside Relative Humidity at 0.7m roof difference	57
27	Fluctuation of the Inside Relative Humidity at 0.9m roof difference	58

LIST OF APPENDIX TABLES

APPENDIX TABLE	PAGE	
1	0.5m Roof Difference Temperature at 1am	70
2	0.5m Roof Difference Temperature at 5am	70
3	0.5m Roof Difference Temperature at 9am	71
4	0.5m Roof Difference Temperature at 1pm	71
5	0.5m Roof Difference Temperature at 5pm	72
6	0.5m Roof Difference Temperature at 1pm	73
7	0.5m Roof Difference Relative Humidity at 1am	73
8	0.5m Roof Difference Relative Humidity at 5am	74
9	0.5m Roof Difference Relative Humidity at 9am	74
10	0.5m Roof Difference Relative Humidity at 1pm	75
11	0.5m Roof Difference Relative Humidity at 5pm	76
12	0.5m Roof Difference Relative Humidity at 9pm	76
13	0.7m Roof Difference Temperature at 1am	77
14	0.7m Roof Difference Temperature at 5am	77
15	0.7m Roof Difference Temperature at 9am	78
16	0.7m Roof Difference Temperature at 1pm	79
17	0.7m Roof Difference Temperature at 5pm	79
18	0.7m Roof Difference Temperature at 1pm	80
19	0.7m Roof Difference Relative Humidity at 1am	80
20	0.7m Roof Difference Relative Humidity at 5am	81
21	0.7m Roof Difference Relative Humidity at 9am	82

22	0.7m Roof Difference Relative Humidity at 1pm	82
23	0.7m Roof Difference Relative Humidity at 5pm	83
24	0.7m Roof Difference Relative Humidity at 9pm	83
25	0.9m Roof Difference Temperature at 1am	84
26	0.9m Roof Difference Temperature at 5am	85
27	0.9m Roof Difference Temperature at 9am	85
28	0.9m Roof Difference Temperature at 1pm	86
29	0.9m Roof Difference Temperature at 5pm	86
30	0.9m Roof Difference Temperature at 1pm	87
31	0.9m Roof Difference Relative Humidity at 1am	88
32	0.9m Roof Difference Relative Humidity at 5am	88
33	0.9m Roof Difference Relative Humidity at 9am	89
34	0.9m Roof Difference Relative Humidity at 1pm	89
35	0.9m Roof Difference Relative Humidity at 5pm	90
36	0.9m Roof Difference Relative Humidity at 9pm	91
37	Average Temperature at 1am	92
38	ANOVA on 0.5m Roof Difference Temperature at 1am	92
39	ANOVA on 0.7m Roof Difference Temperature at 1am	92
40	ANOVA on 0.9m Roof Difference Temperature at 1am	93
41	Comparison among means on 0.5m Roof Difference Temperature at 1am	93
42	Comparison among means on 0.7m Roof Difference Temperature at 1am	93
43	Comparison among means on 0.9m Roof Difference Temperature at 1am	93

44	Average Temperature at 5am	93
45	ANOVA on 0.5m Roof Difference Temperature at 5am	94
46	ANOVA on 0.7m Roof Difference Temperature at 5am	94
47	ANOVA on 0.9m Roof Difference Temperature at 5am	94
48	Comparison among means on 0.5m Roof Difference Temperature at 5am	95
49	Comparison among means on 0.7m Roof Difference Temperature at 5am	95
50	Comparison among means on 0.9m Roof Difference Temperature at 5am	95
51	Average Temperature at 9am	95
52	ANOVA on 0.5m Roof Difference Temperature at 9am	96
53	ANOVA on 0.7m Roof Difference Temperature at 9am	96
54	ANOVA on 0.9m Roof Difference Temperature at 9am	96
55	Comparison among means on 0.5m Roof Difference Temperature at 9am	97
56	Comparison among means on 0.7m Roof Difference Temperature at 9am	97
57	Comparison among means on 0.9m Roof Difference Temperature at 9am	97
58	Average Temperature at 1pm	97
59	ANOVA on 0.5m Roof Difference Temperature at 1pm	98
60	ANOVA on 0.7m Roof Difference Temperature at 1pm	98
61	ANOVA on 0.9m Roof Difference Temperature at 1pm	98
62	Comparison among means on 0.5m Roof Difference Temperature at 1pm	99

63	Comparison among means on 0.7m Roof Difference Temperature at 1pm	99
64	Comparison among means on 0.9m Roof Difference Temperature at 1pm	99
65	Average Temperature at 5pm	99
66	ANOVA on 0.5m Roof Difference Temperature at 5pm	100
67	ANOVA on 0.7m Roof Difference Temperature at 5pm	100
68	ANOVA on 0.9m Roof Difference Temperature at 5pm	100
69	Comparison among means on 0.5m Roof Difference Temperature at 5pm	100
70	Comparison among means on 0.7m Roof Difference Temperature at 5pm	101
71	Comparison among means on 0.9m Roof Difference Temperature at 5pm	101
72	Average Temperature at 9pm	101
73	ANOVA on 0.5m Roof Difference Temperature at 9pm	102
74	ANOVA on 0.7m Roof Difference Temperature at 9pm	102
75	ANOVA on 0.9m Roof Difference Temperature at 9pm	102
76	Comparison among means on 0.5m Roof Difference Temperature at 9pm	102
77	Comparison among means on 0.7m Roof Difference Temperature at 9pm	103
78	Comparison among means on 0.9m Roof Difference Temperature at 9pm	103
79	Average Relative Humidity at 1am	103
80	ANOVA on 0.5m Roof Difference Relative Humidity at 1am	104
81	ANOVA on 0.7m Roof Difference Relative Humidity at 1am	104

82	ANOVA on 0.9m Roof Difference Relative Humidity at 1am	104
83	Comparison among means on 0.5m Roof Difference Relative Humidity at 1am	104
84	Comparison among means on 0.7m Roof Difference Relative Humidity at 1am	104
85	Comparison among means on 0.9m Roof Difference Relative Humidity at 1am	105
86	Average Relative Humidity at 5am	105
87	ANOVA on 0.5m Roof Difference Relative Humidity at 5am	105
88	ANOVA on 0.7m Roof Difference Relative Humidity at 5am	106
89	ANOVA on 0.9m Roof Difference Relative Humidity at 5am	106
90	Comparison among means on 0.5m Roof Difference Relative Humidity at 5am	106
91	Comparison among means on 0.7m Roof Difference Relative Humidity at 5am	106
92	Comparison among means on 0.9m Roof Difference Relative Humidity at 5am	106
93	Average Relative Humidity at 9am	107
94	ANOVA on 0.5m Roof Difference Relative Humidity at 9am	107
95	ANOVA on 0.7m Roof Difference Relative Humidity at 9am	107
96	ANOVA on 0.9m Roof Difference Relative Humidity at 9am	108
97	Comparison among means on 0.5m Roof Difference Relative Humidity at 9am	108
99	Comparison among means on 0.7m Roof Difference Relative Humidity at 9am	108
99	Comparison among means on 0.9m Roof Difference Relative Humidity at 9am	108
100	Average Relative Humidity at 1pm	108

101	ANOVA on 0.5m Roof Difference Relative Humidity at 1pm	109
102	ANOVA on 0.7m Roof Difference Relative Humidity at 1pm	109
103	ANOVA on 0.9m Roof Difference Relative Humidity at 1pm	109
104	Comparison among means on 0.5m Roof Difference Relative Humidity at 1pm	110
105	Comparison among means on 0.7m Roof Difference Relative Humidity at 1pm	110
106	Comparison among means on 0.9m Roof Difference Relative Humidity at 1pm	110
107	Average Relative Humidity at 5pm	110
108	ANOVA on 0.5m Roof Difference Relative Humidity at 5pm	111
109	ANOVA on 0.7m Roof Difference Relative Humidity at 5pm	111
110	ANOVA on 0.9m Roof Difference Relative Humidity at 5pm	111
111	Comparison among means on 0.5m Roof Difference Relative Humidity at 5pm	111
112	Comparison among means on 0.7m Roof Difference Relative Humidity at 5pm	112
113	Comparison among means on 0.9m Roof Difference Relative Humidity at 5pm	112
114	Average Relative Humidity at 9pm	112
115	ANOVA on 0.5m Roof Difference Relative Humidity at 9pm	112
116	ANOVA on 0.7m Roof Difference Relative Humidity at 9pm	113
117	ANOVA on 0.9m Roof Difference Relative Humidity at 9pm	113
118	Comparison among means on 0.5m Roof Difference Relative Humidity at 9pm	113
119	Comparison among means on 0.7m Roof Difference Relative Humidity at 9pm	113

120

Comparison among means on 0.9m Roof Difference
Relative Humidity at 9pm

113

LIST OF APPENDIX FIGURES

APPENDIX FIGURE		PAGE
1	Section A of Double-layered greenhouse	114
2	Section B of Double-layered greenhouse	114
3	Section C of Double-layered greenhouse	115
4	Section D of Double-layered greenhouse	115
5	Section E of Double-layered greenhouse	116

ABSTRACT

CARBONEL, OMIE A. and SERRANO, ROMMEL U., Department of Agricultural and Biosystems Engineering, College of Engineering, Central Luzon State University, Science City of Muñoz, Nueva Ecija, Philippines, **May 2023,** **MODIFICATION, FABRICATION, AND PERFORMANCE EVALUATION OF DOUBLE LAYERED GREENHOUSE WITH MIST COOLING SYSTEM**

Adviser: NOVALYN G. DELOS SANTOS, M.Sc.

A greenhouse is a structure that allows farmers to produce and harvest food at any time of the year. It's used to protect crops from extreme cold or heat, as well as pests.

This study was conducted to determine the performance of double layered greenhouse with mist cooling system. Existing greenhouse was modified to add another layer to the structure. Shade cloth was used as material for saturation of water. Ten cross-sectional areas were designated for sensors. Environmental parameters like temperature inside and outside the greenhouse and relative humidity inside and outside the greenhouse were recorded. The water pressure, time of saturation, and water volume for shade cloth saturation were evaluated. Three treatments were used in the study: 0.5 m, 0.7 m, and 0.9 m spacing of the 1st layer to the 2nd layer of roof arch.

Based on the result of the study, the temperature inside the double-layered greenhouse with mist cooling system is significantly lower as compared to ambient temperature while the relative humidity level inside is significantly higher than the air moisture outside the structure. The difference between the temperature and relative humidity inside and outside structure rises as the roof arch difference increases. The relationship of the height to the temperature and relative humidity is directly proportional. Therefore, 0.9 m spacing is the recommended space for lower temperature

and high relative humidity. The integration of automated misting system is suggested for it help maintain a temperature of 25 °C to 30 °C and 60% to 80% relative humidity which is suitable for high land crops.

Keywords: double-layered greenhouse; misting cooling system; shade cloth; temperature; and relative humidity

LITERATURE CITED

- Ahmed H. et. al, (2016). Effect Of Cooling Strategies On The Uniformity Of The Greenhouses Microclimate: A Review. https://www.researchgate.net/publication/314835644_effect_of_cooling_strategies_on_the_uniformity_of_the_greenhouses_microclimate_a_review
- Alhamdan, A. M., & Al-Helal, I. M. (2009). Mechanical deterioration of polyethylene greenhouses covering under arid conditions. *Journal of Materials Processing Technology*, 209(1), 63- 69. doi: 10.1016/j.jmatprotec.2008.01.052
- Aljubury, I. M., & Ridha, H. D. (2017). Enhancement of evaporative cooling system in a greenhouse using geothermal energy. *Renewable Energy*, 111, 321-331. doi: 10.1016/j.renene.2017.03.080
- Ana M. (n.d.). Everything You Need To Know About Greenhouse Shade Cloth. <https://www.growinggreenhouse.com/greenhouse-shadecloth/#:~:text=Types%20of%20Shade%20Cloth%20For%20Greenhouse%20Today%2C%20you,something%20similar%20to%20the%20tiny%20rows%20of%20braids.>
- Blanchard M. & Runkle E. (2008). Temperature variation within a greenhouse. https://www.canr.msu.edu/news/temperature_variation_within_a_greenhouse
- Connellan, G. (2002). Selection Of Greenhouse Design and Technology Options for High Temperature Regions. *Acta Horticulture*, (578), 113-117doi:10.17660/actahortic.2002.578.12.
- Dehbi, A., Mourad, A. I., Djakhdanc, K., & Hilal-Alnaqbi, A. (2014). Degradation of thermomechanical performance and lifetime estimation of multilayer greenhouse polyethylene films under simulated climatic conditions. *Polymer Engineering & Science*, 55(2), 287-298. doi:10.1002/pen.23895
- Deng L. et. al, (2022). Indoor air temperature and humidity variation of a greenhouse base on field test: A case study in Shandong. *E3S Web of Conferences*. https://www.e3s-conferences.org/articles/e3sconf/pdf/2022/23/e3sconf_roomvent2022_03032.pdf
- Dilara, P., & Briassoulis, D. (2000). Degradation and Stabilization of Low-density Polyethylene Films used as Greenhouse Covering Materials. *Journal of Agricultural Engineering Research*, 76(4), 309-321. doi:10.1006/jaer.1999.0513
- Environmental Checklist for Nurseries, Greenhouses and Turfgrass Producers. [https://extension.uga.edu/publications/detail.html?number=B792&title=Greenhouses: Heating, Cooling, and Ventilation](https://extension.uga.edu/publications/detail.html?number=B792&title=Greenhouses:Heating,Cooling,andVentilation)

- Fidaros, D. K., & Murthy, J. (2010). (PDF) Numerical simulation of thermal behavior of a ventilated arc greenhouse during a solar day. ResearchGate. https://www.researchgate.net/publication/230705187_Numerical_simulation_of_thermal_behavior_of_a_ventilated_arc_greenhouse_during_a_solar_day
- Food And Agriculture Organization of The United Nations Rome, (2013). Good Agricultural Practice for greenhouse vegetable crops. Retrieved on September 6, 2017, from <http://www.fao.org/3/ai3284e.pdf> Air-Inflated Double-Layer Polyethylene
- Garden Season (2019). How to Pick a Greenhouse Shade Cloth. Retrieved from <https://gardenseason.com/greenhouse-shade-cloth/#:~:text=A%20shade%20cloth%20is%20simply%20a%20stretch%20of,%20sun%E2%80%99s%20heat%20on%20plants%20thus%20preventing%20damage.>
- Georgia Green*A*Syst:YSNetting (2022). Cucumber Production Under Proper Greenhouse Conditions. Retrieved from <https://www.ysnetting.com/greenhouse-cucumber-production-under-propergreenhouse-conditions/>
- Giacomelli, G. A., (1996). Controlled Environment Systems https://ceac.arizona.edu/sites/default/files/Greenhouse%20Structures.pdf?fbclid=IwAR2vL35sgoTMZVoxyk3N9qo_rYuICywonG6IndJET56tpB83hi9Lfi4qD44 on December 2022.
- Greenhouse - 2004. (2004). <https://www.asabe.org/About-Us/About-ASABE/History/ASABE-Historic-Landmarks/Air-Inflated-Double-Layer-Polyethylene-Greenhouse-2004>
- Handarto, Hayashi, M., Ohyama, K., Toida, H., Goto, E., & Kozai, T. (2006). Developing Control Logic for a High-Pressure Fog Cooling System Operation for a Naturally Ventilated Greenhouse. *Environment Control in Biology*, 44(1), 1-9. doi:10.2525/ecb.44.1
- Inflated and Conventional Double Layer Greenhouse. *Protected Horticulture and Plant Factory*, 27(1), 46-53. doi:10.12791/ksbec.2018.27.1.46
- Jayasekara, S. N., Na, W. H., Owolabi, A. B., Lee, J. W., Rasheed, A., Kim, H. T., & Lee, H. W. (2018). Comparison of Environmental Conditions and Insulation Effect between Air

- Why Are the Galvanized Steel Pipes Popular in Greenhouse? (n.d.). Retrieved from <https://www.worldironsteel.com/news/galvanized-steel-pipes-popular-ingreenhouse-29651182.html>
- Lychnos, G., & Davies, P. (2012). Modeling and experimental verification of a solarpowered liquid desiccant cooling system for greenhouse food production in hot climates. *Energy*, 40(1), 116-130. doi: 10.1016/j.energy.2012.02.021
- Ministry of Agriculture, F. A. (2020, October 09). Agricultural structures and mechanization. <https://www2.gov.bc.ca/gov/content/industry/agriculturehttps://www2.gov.bc.ca/gov/content/industry/agriculture-seafood/business-market-development/structuresmechanization#:~:text=Farm structures are designated as principal buildings or, typically used for storage or equipment working areas.>
- Ohyama, K., Kozai, T., & Toida, H. (2008). Greenhouse Cooling with Continuous Generation of Upward-Moving Fog for Reducing Wetting of Plant Foliage and Air Temperature Fluctuations: A Case Study. *Acta Horticulture*, (797), 321-326. doi:10.17660/actahortic.2008.797.45
- Threeway Steel Co., L. (N.D.). Retrieved from <https://www.threewaysteel.com/m/newsshow/The-Definition-of-Galvanized-Pipe.html>
- Toida, H., Kozai, T., Ohyama, K., & Handarto. (2006). Enhancing Fog Evaporation Rate using an Upward Air Stream to improve Greenhouse Cooling Performance. *Biosystems Engineering*, 93(2), 205-211. doi: 10.1016/j.biosystemseng.2005.11.003
- Types of Structural Design and its Processes. (2018, June 13). Retrieved from <https://theconstructor.org/structural-engg/types-structural-design-process/1673/>
- Westreenen A. et al, (2020). Substantial differences occur between canopy and ambient climate: Quantification of interactions in a greenhouse-canopy system. Substantial differences occur between canopy and ambient climate: Quantification of interactions in a greenhouse-canopy system | PLOS ONE
- Why to choose galvanized steel pipe in greenhouse construction? (2019, June 12). Retrieved from <https://www.pipesteelchina.com/metal-pipes/why-to-choosegalvanized-steel-pipehttps://www.pipesteelchina.com/metal-pipes/why-tochoose-galvanized-steel-pipe-in-greenhouseconstruction.htmlinhttps://www.pipesteelchina.com/metal-pipes/why-to-choosegalvanized-steel-pipe-inhttps://www.pipesteelchina.com/metal->

pipes/why-tochoose-galvanized-steel-pipe-in-greenhouse-
construction.htmlgreenhouseconstruction.htmlgreenhouse-construction.html

Williams, D. E. (2007, May 01). Sustainable Design: Ecology, Architecture, and Planning. https://books.google.com/books/about/Sustainable_Design.html?id=113fO6Wqh_gC

Wu, W. (2020). Sustainable Infrastructure Design and Maintenance. Critical Thinking in the Sustainable Rehabilitation and Risk Management of the Built Environment Springer Series in Geomechanics and Geoengineering, 103-115. doi:10.1007/9783-030-61118-7_8 Chappell, M., Worley, J. W., & Thomas, P. A. (2010, June 01).

**PERFORMANCE EVALUATION OF DOUBLE-LAYERED GREENHOUSE
WITH MIST COOLING SYSTEM**

**OMIE A. CARBONEL
ROMMEL U. SERRANO**

An Undergraduate Thesis Submitted to the Faculty of the Department of Agricultural and
Biosystems Engineering, College of Engineering, Central Luzon State University,
Science City of Muñoz, Nueva Ecija, Philippines
in Partial Fulfillment of the Requirements
for the Degree of

**BACHELOR OF SCIENCE IN AGRICULTURAL AND BIOSYSTEMS ENGINEERING
(AB Structures and Environmental Engineering)**

MAY 2023