

RICE STRAW AND MOLASSES-UREA AS FEED SUPPLEMENTS
FOR THAI NATIVE FIRST-CALF HEIFERS
DURING DRY SEASON

by

BUENAVENTURA A. MALABAYABAS

A Thesis Submitted to
The Graduate School of Kasetsart University

In Partial Fulfillment
of the Requirements for the Degree of
Master of Science (Agriculture)

1975

CONTENTS

	Page
LIST OF TABLES	i
LIST OF FIGURES	ii
LIST OF APPENDIX TABLES	iii
INTRODUCTION	1
REVIEW OF LITERATURE	5
Purpose of Supplementation	5
Molasses as a Feed Supplement	6
Molasses vs. Other Carbohydrate Source for Urea Supplementation	6
Importance of Nitrogen in Low Quality Roughage Feeding	7
Urea as a Source of Nitrogen	9
Palatability of Urea	10
Molasses and Urea as Supplement for Silage	10
Molasses and Urea Mixture on Low Quality Roughage	11
Molasses and Urea as Grazing Supplements in Winter	12
Rice Straw as a Source of Energy	13
Influence of Rainfall and Temperature on Forage	14

	Page
Climate Condition in Kamphaeng Saen, Nakorn Pathom	15
MATERIALS AND METHODS	16
Time and Place of Study	16
Materials	16
Procedures	16
RESULTS	22
Body Weight	22
Biweekly average weight and average gain	22
Gain in weight during the supplemented period	22
Gain in weight during the non-supplemented period	27
Gain in weight during the whole experimental period	27
Heartgirth	29
Biweekly heartgirth measurement	29
Relationship between heartgirth and body weight	29
Rainfall, Air Temperature and Relative Humidity	36
Rainfall	36
Air temperature and relative humidity	38
Relationship between body weight and rainfall	38

	Page
Relationship between body weight, air temperature and relative humidity	38
Incidence of Calving	39
DISCUSSION	41
Effect of Supplementation on Maintenance	41
Effect of Discontinued Supplementation on Weight Gain	43
Relationship Between Body Weight and Heartgirth	44
SUMMARY AND CONCLUSION	45
LITERATURE CITED	47
APPENDIX TABLES	56

LIST OF TABLES

Table		Page
1	Average initial group weight of the experimental animals	17
2	Percentage of estimated daily dry matter requirement provided by supplemental feeds	18
3	Biweekly average weight in kilograms	23
4	Biweekly average gain or loss in weight (kgm)	24
5	Summary of gain in weight for the supplemented period	26
6	Summary of gain in weight for the non-supplemented period	26
7	Summary of gain in weight for the whole experimental period	28
8	Biweekly average heartgirth measurement in cm.	30
9	Biweekly average increase or decrease in heartgirth measurement in cm.	31
10	Biweekly frequency and amount of rainfall	37
11	Biweekly average air temperature and relative humidity at 3:00 p.m.	

LIST OF FIGURES

Figure		Page
1	Average body weight, air temperature and relative humidity means and amount of rainfall during the whole experimental period	25
2a	Body weight and heartgirth relationship for control group (Treatment I)	32
2b	Body weight and heartgirth relationship for rice straw supplemented group (Treatment II)	33
2c	Body weight and heartgirth relationship for molasses-urea supplemented group (Treatment III)	34
2d	Body weight and heartgirth relationship for rice straw and molasses-urea supplemented group (Treatment IV)	35

LIST OF APPENDIX TABLES

Appendix Table		Page
1	Monthly rainfall, air temperature and relative humidity in Kamphaeng Saen, Nakorn Pathom for two years (1973-74)	56
2	Estimated average daily dry matter requirement in kgm.	57
3	Average amount of TDN and Crude protein content of feed supplement in kgm.	
4	Analysis of variance for the gain in weight for the supplemented period	59
5	Analysis of variance for the gain in weight for the non-supplemented period	60
6	Analysis of variance for the gain in weight for the whole experimental period	61
7	Analysis of regression between weight and heartgirth of the cows	62

LITERATURE CITED

1. Alexander, G.J. 1972. Non-protein Nitrogen Supplement for Grazing Animals in Australia. FAO World. An. Rev. 4:11.
2. Ammerman, C.B.; G.J. Verde; J.E. Moore; W.C. Berne; and C.F. Chicco. 1972. Biuret, urea and natural proteins as supplement for low quality roughage for sheep. J. An. Sci. 35:121.
3. Beames, R.M. 1959. Molasses and urea as a supplement to low quality hay for cattle. Qld. J. An. Sci. 16:233.
4. _____ . 1960 a. A note on the preservation of a solution of molasses and urea in water. Qld. J. An. Sci. 17:205.
5. Belasco, I.J. 1956. Role of carbohydrate in utilization cellulose digestion and fatty acid formation. J. An. Sci. 15:496.
6. Bishop, E.J.B. 1957. Combat losses with molasses urea. Fmg. S. Afr. 33(3):30.
7. _____ . 1959. The value of molasses and urea at Dohne. Fmg. S. Afr. 35(3):27.

8. Bloomfield, R.A.; R.P. Wilson; and G.B. Thompson.
1964. Influence of energy levels on urea utilization.
J. An. Sci. 23:865.
9. Briggs, M.H.; W.D. Gallup; A.E. Darlow; D.F. Stephens;
and C. Jenney. 1947. Urea as extender for proteins
when fed to cattle. J. An. Sci. 6:445.
10. Chalupa, W. 1968. Problems in feeding urea to ruminant.
J. An. Sci. 27:207.
- 11./ Chapman, Jr., H.L.; F.M. Krigger; M. Roger; J.K. Crockett;
and W.K. MacPhearson. 1965. Blackstrap molasses for
beef cows. Agr. Expt. Sta. Univ. Florida Bull. 701
- 12./ Chapman, Jr., H.L.; F.M. Peacock; N.G. Kirk; R.L. Shirley;
and T.J. Cunha. 1964. Supplemental feeding of beef
cattle on pasture in South Florida. Agr. Expt. Sta.
Univ. Florida Bull. 665
13. Chi-tung, Hsu. 1973. Farm by-product and beef produc-
tion. Food and Fert. Tech. Center, ASPAC. Taiwan
Bull. 32.
14. Coombe, J.B.; and D. E. Tribe. 1962. Feeding urea
supplement to sheep and cattle. The result of penned
grazing experiments. J. Agr. Sci. 55:125.

15. _____ . 1963. The effects of urea supplements on the utilization of straw plus molasses diets by sheep. Aust. J. Agri. Res. 14:70.
16. Coombe, J.B.; D.E. Tribe; and J.W.C. Morrison. 1960. Some experimental observation on toxicity of urea to sheep. Aust. J. Agr. Res. 11:247.
17. Groenewald, J.W. 1964. Planning supplementary winter feeding. Fmg. S. Afr. 40(2):5.
18. Hart, E.B.; S. Bohstedt; H.J. Deabald; and M.L. Wegner. 1939. The utilization of simple nitrogenous compounds such as urea, ammonium bicarbonate by growing calves. J. Dairy Sci. 22:397.
19. Harvey, R.W. 1960. Least-Square Analysis of Data With Unequal Sub-class Numbers, USDA Agricultural Research Service Publication.
20. Huber, J.T.; C.E. Polan; and D. Hillman. 1968. Urea in high corn silage rations for dairy cattle. J. An. Sci. 27:220.
21. Kameoka, K. 1974. Utilization of cereal crop residues as livestock feed. Food and Fert. Tech. Center, ASPAC. Taiwan Bull. 32.

22. King, W.A.; G.D. O'Dell; and D.B. Roderick. 1955.
Utilization of blackstrap molasses, urea in molasses
and ammoniated molasses by dairy heifers. J. Dairy
Sci. 38:624.
23. Lapins, P.; and E. R. Watson. 1970. Loss of nitrogen
from maturing plants. Aust. J. Exp. Agr. An. Husb.
10:599.
24. Lesch, S.F.; E.H. Kemm; and A.P. Van Schalkwyk. 1967.
Supplementary winter feed for cattle. Fmg. S. Afr.
43(5):52.
25. Lombard, P.E . 1960. Roughage should be utilized as
far as possible. Fmg. S. Afr. 36(6):22.
26. _____ . 1963. Curtail your cattle's
winter weight losses. Fmg. S. Afr. 39(2):7.
27. Lombard, P.E.; and E.M. Greeff. 1964. Supplement veld
pasture in winter. Fmg. S. Afr. 40(4):54.
28. Loftgreen, G.P.; and K.K. Otagaki. 1960. The net
energy of blackstrap molasses for fattening steers
as determined by comparative slaughter technique.
J. An. Sci. 19:392.

29. Loosli, J.K. 1966. Recent advance in animal nutrition and quality control of feeds. Phil. J. An. Sci. 30:69.
30. Loosli, J.K.; and I.W. McDonald. 1968. NPN in nutrition of ruminants. FAO Agr. Studies, Rome No. 75. Cited Beames, R.M. 1960 b. Supplementation of low quality pasture with molasses-urea mixture. Proc. Aust. Soc. An. Prod. 3:36.
31. Lowrey, P.S.; and C.W.C. McCormick. 1969. Factors affecting the utilization of urea diets by finishing steers. J. An. Sci. 28:406.
32. Madamba, J.G. 1973. Management of beef cattle under grazing condition. Food and Fert. Tech. Center, ASPAC, Taiwan Bull. 30.
33. McDowell, R.E. 1972. Improvement of Livestock Production in Warm Climates. Freeman: San Francisco.
34. Mott, G.O.; L.R. Quin; W.V.A. Bisschoff; and G.L. da Racha. 1967. Molasses for pasture fed Zebu steer in Brazil. J. An. Sci. 26:937 (Abstr.).
35. National Research Council. 1970. Nutrient Requirements of Domestic Animals: Number 4. Nutritional Requirement of Beef Cattle. National Academy of

- Sciences. Washington D.C. Fourth Revised Edition.
36. Nelson, H.B.; and G.S. Waller. 1962. Urea in winter supplement for range beef cattle. J. An. Sci. 21:387. (Abstr.).
37. Oh, H.K.; W.M. Longhurst; and M.B. Jones. 1969. Relation of nitrogen intake to rumen microbial activity and composition of non-quality roughage by sheep. J. An. Sci. 28:272.
- 38./ Perez, C.B. 1973. I. Farm by-products and beef production. Food and Fert. Tech. Center, ASPAC. Taiwan Bull. 32.
39. Pieterse, P.J.S. 1961. Feeding urea to cattle in winter veld. Fmg. S. Afr. 35(3):27.
40. _____ . 1964. Supplement the deficiencies in low grade roughage. Fmg. S. Afr. 40(4):37.
41. _____ . 1967. Urea as a Supplement: Urea in winter for cattle. Pergamon Press. Cited Von La Chevellerie, M.K.S.L. 1965. Observation on feeding of urea-molasses mixtures. Proc. S. Afr. Soc. An. Prod., 4 (English Summary)

42. Preston, R.L.; and V.R. Cahill. 1972. Source of protein and time of supplementation for growing finishing steers. Beef Cattle Res. Ohio Agr. Res. Dev. Summary Res. No. 63.
43. Raleigh, R.J. 1970. Manipulation of both livestock forage management to give optimum production: Symposium on pasture methods for maximum production in beef cattle. J. An. Sci. 30:108.
44. Rattanaronchart, S. 1974. Live and Carcass Traits and Their Relationship in Thai Cattle and Buffalo. Unpublished Master's Thesis. (in Thai).
45. Ray, M.L.; and H. W. Essig. 1963. Effects of protein and energy supplement on the digestibility of low quality roughage by beef cattle. Agr. Exp. Sta., Ark. Univ. Bull. 669.
46. Reid, J.T. 1963. Urea as a protein supplement to ruminants. A review. J. Dairy Sci. 36:955.
47. Rodgerson, A.; H.P. Ledger; and G.H. Freeman. 1968. Food intake and liveweight gains of Bos indicus and Bos taurus steers on high level plane of nutrition. An. Prod. 10:373.

48. Schaadt Jr., H.; R.R. Johnson; and K.E. McClure.
1966. Adaptation to and palatability of urea, biuret
and diammonium phosphate. J. An. Sci. 25:73.
49. Skinner, J.D. 1963. Supplement the shortage in cattle
feeds. Fmg. S. Afr. 37(4):33.
50. Smith, G.A. 1962. Utilization of Hyparrhenia veld
for nutrition of cattle in dry season. III. Studies
on digestibility of produce of mature veld and veld
hay and the effect of feeding supplementary protein
and urea. J. Agr. Sci. 58:173.
51. Songprasert, J. 1974. The Traits and Their Predicted
Values in Cattle and Buffaloes from Different Regions
During Various Seasons. Unpublished Master's Thesis.
(in Thai).
52. Tillman, A.D.; R.D. Furr; K.R. Hansen; L.B. Sherrod; and
J.D. Word Jr. 1969. Utilization of rice hull in
cattle finishing ration. J. An. Sci. 29:172.
53. Topps, J.H. 1972. Urea and biuret supplement to low
protein grazing in Africa. FAO: World Ann. Rev.
No. 3.
54. Von La Chevellerie, M.K.S.L. 1959. Urea as a nutrient
for ruminants. Fmg. S. Afr. 35(9):44.

55. Wagnon, K.A. 1963. Behaviour of beef cattle on California range. Cal. Agr. Exp. Sta. Univ. Cal. Bull. 799.
56. Wagnon, K.A.; H.R. Guilbert; and G.H. Hart. 1959. Beef cattle investigations on San Joaquin experimental range. Cal. Agr. Exp. Sta. Univ. Cal. Bull. 765.
57. White, T.W.; W.L. Reynolds; and F.G. Hembry. 1973. Influence of urea and molasses on nutrient digestibility of high roughage ration by steers. J. An. Sci. 37:1428.
58. Williams, D.L.; J.V. Whiteman; and A.D. Tillman. 1969. Urea utilization on protein supplements for cattle consuming poor roughage on the range. J. An. Sci. 28:807.
59. Wiltbank, J.N.; W.W. Rowden; J.E. Ingalls; K.E. Gregory; and R.M. Koch. 1962. Effect of energy level on reproduction phenomena of mature cows. J. An. Sci. 21:219.